




Aboveground Oil Water Separators



Applications:


- Vehicle Maintenance Shops
- Truck Stops
- Gasoline Service Stations
- Military Installations

Features:


- Aboveground Oil Water Separators can be fabricated in a variety of shapes and sizes to accommodate your requirements.
- M-Pak Plate Packs: packaged with stainless steel & plastic hardware. Media is calcium carbonate-filled oleophilic propylene.
- Plate Packs may be cleaned in place - no need to remove them from the unit.
- Hinged and gasketed covers allow easy access to separator interior for maintenance and inspection.
- Variety of level sensors and control panels.
- Units can be supported by legs or skid-mounted.
- Optional solids collection trough v-bottom with a motortized auger screw to remove solids from the separator.
- Collected oil may be stored internally or in a separate storage tank.




Submittal Data Sheet



SECTION A



SECTION B



LEFT SIDE

FRONT VIEW

RIGHT SIDE

ANCHORAGE TANK MODEL NUMBER	FLOW RATE (GPM)	OIL HOLDING CAPACITY	TANK LENGTH	TANK WIDTH	TANK HEIGHT	INLET/OUTLET DIAM.	PLATE PACK SPACING	PLATE PACK FRONTAL AREA (SQ.FT.)
ATAGOWS-50	50	83	9'	3'	7'	4"	1/2"	12.00
ATAGOWS-100	100	83	9'	3'	7'	4"	1/4"	12.00
ATAGOWS-150	150	105	11'	3'	7'	6"	1/2"	12.00
ATAGOWS-200	200	105	11'	3'	8'	6"	1/4"	15.00

The parameters listed above are for general reference only. Site-specific conditions, such as influent composition and water temperature, may significantly alter the information in this table.